AVANZ VINTAGE NEW ZEALMOSTIC VINTAGE NEW ZEAL

Newsletter of the Vintage Special Interest Group of Model Flying New Zealand #172





In this Issue

Committee Notes Future Events Gareth Newton Tuakau Reader's Model CuCu 1948 San Jose 1948 The Plainsman 1942 **Cover Stories** Prof. T.N. de Bobrovsky **Leader Board** Wopkaka No.1 Junior Glider Snoopy 1959 **Real Vintage** Miscellaneous

COMMITTEE NOTICES



Changes to Battery Rules in 1/2E-Texaco and E-Texaco

Voting on the remits concerning changes to battery allowances in 1/2-E Texaco and E-Texaco classes has finished. Rule changes require a minimum approval of 75%. The battery size remits had 85% approval, and so are passed. At this time, the changes have yet to be ratified by MFNZ, but this is a formality and fliers in these classes can make alterations to models if required.

Vintage rules on MFNZ's website will be updated as soon as possible and the new battery reqirements will be applied to contests from this point on and to the next Nationals.

For convenience, the remit changes are reproduced on page 3.

On the Cover: Keith Trillo's Kea

NZ Logo: Number 8 Fence Wire - see Miscellaneous page

TREASURER

AVANZ PLANS

SIG CHAIRMAN SIG SECRETARY MFNZ COLUMN COMMITTEE Don Mossop donmossop@gmail.com

Don Mossop donmossop@gmail.com

Wayne Cartwright and David Crook chloecat@xtra.co.nz

Wayne Cartwright rwcartwright4@gmail.com Tony Gr

Warner Summerton gsumm@gmail.com

@xtra.co.nz AVANZ News
Tony Gribble agrib@orcon.net.nz
Allan Knox allan.j.knox@gmail.com

Jan Butcher jjbutcher@xtra.co.nz
Mark Venter avanz.plans@xtra.co.nz
Bernard Scott scott.scott@xtra.co.nz
Bryan Treloar bryan_treloar@hotmail.com
Barrie Russell barrierussell@xtra.co.nz

COMMITTEE NOTICES



RC Vintage 1/2E Texaco and RC Classical 1/2E Texaco

- In Rules 5.4.2 and 5.7.2 replace the present wording with:
 All Radio Control General Rules (see Section 2) apply, except Rule 2.1.6. There is no wing loading rule.
- In Rules 5.4.3 and 5.7.3 replace the present wording with:

 'Dry weight' is the weight of the model without the drive battery.
- In Rules 5.4.4 and 5.7.4 replace the present wording with Maximum dry weight is 18 oz and maximum wing area is 350 sqin.
- In Rules 5.4.5 and 5.7.5 replace the present wording with:
 The drive battery is LiPo with maximum manufacturer's rated capacity chosen from one of the following:
 - a. 44 mah per oz dry weight if 1 cell is used (1S),
 - b. 22 mah per oz dry weight if 2 cells are in series (2S),
 - c. 14 mah per oz dry weight if 3 cells are in series (3S).

RC Vintage E Texaco and RC Classical E Texaco

- In Rules 5.5.2 and 5.8.2 replace the present wording with:
 All Radio Control General Rules (see Section 2) apply, except Rule 2.1.6. There is no wing loading rule.
- In Rules 5.5.3 and 5.8.3 replace the present wording with:
 'Dry weight' is the weight of the model without the drive battery.
- In Rules 5.5.4 and 5.8.4 replace the present wording with:

 There is no upper or lower limit on dry weight.
- In Rules 5.5.5 and 5.8.5 replace the present wording with:
 The drive battery is LiPo with maximum manufacturer's rated capacity chosen from one of the following:
 - a. 34 mah per oz dry weight if 1 cell is used (1S),
 - b. 17 mah per oz dry weight if 2 cells are in series (2S),
 - c. 11 mah per oz dry weight if 3 cells are in series (3S).

Vintage Events at the next Nationals

The programme below is the result of co-operation between the Free Flight, Scale Free Flight, and Vintage SIGs.

NATIONALS P	ROGRAMME for	Vintage FF, F	F, and Scale F	F	
REGISTRATION Mon.30th December	DAY 1 Tue. 31st December	DAY 2 Wed. 1st January	DAY 3 Thur. 2nd January	DAY 4 Fri. 3rd January	DAY 5 Sat. 4th January
VINTAGE FF FREE FLIGHT 7 am - 12 noon	Vintage FF Power Vintage FF Rubber Vintage FF Glider Vintage Precision	Nostalgia Power Nostalgia Rubber Vintage Catapult Small Power Classic Comb R/P/G	F1A-B-C Combined Kiwi Power	Open Power Open Rubber Open Glider	P-30 Mini Combined E-36
VINTAGE RC 9 am - 4 pm		Vintage Precision Classical Precision Open Texaco	Vintage 1/2A Texaco Vintage A Texaco Vintage E Texaco Classical E Duration	Vintage 1/2E Texaco Vintage IC Duration Vintage E Duration Classical E Texaco	Classical 1/2E Texaco Sport Cabin E Texaco Vintage E Rubber Tex Classical IC Duration
SCALE FF	F4A FF Power Kit Scale	F4D FF Rubber CO2 / Electric	Any postponed outdoor FF Scale	Any postponed outdoor FF Scale	
EVENING FF and INDOOR SCALE	Aggregate Social Function ???	HLG / CAT Glider Radian	Peanut Kit Scale Open Rubber Scale	IHLG Hangar Rat	
ADMINISTRATION		VINTAGE SIG AGM VRC AWARDS VFF AWARDS	VRC AWARDS	VRC AWARDS	VRC AWARDS

Greetings All,

An update on our activities at Awatoto Field. The Vintage movement at MFHB is alive and well and growing. The club build of six classic Night Trains following my model has been a great success with all flying apart from Bill's which is now finished and awaiting a test flight. At the last Thursday (23rd May) vintage morning session we had six turn up so ran an impromptu Classic E-Duration competition, the task being 3 x 5 minute flights off a 20 second motor run with some excellent results. Some models are still being set up and trimmed, and pilots getting used to the powerful vertical climbs. Once that is all settled there is going to be some pretty stiff competition with maximums all round and fly-offs needed.

What an historic moment, an actual club competition at Model Flying Hawkes Bay's Awatoto Field!



Our idea is to run an annual Vintage Championship with all competition results going towards the total regardless of whether the comps be official or just impromptu as per yesterday. Brett is the keeper of records and runs the above excel spreadsheet. Just turn up and have some fun. If there is a planned comp we'll notify it, otherwise we can run impromptu ones if there are enough and interested, or just fly for fun as

Barry and others do. It's all about enjoying the Vintage experience with no pressure other than what you want to apply to yourself.

NDC is also gaining interest and momentum now that we have a number of qualifying models for the various classes. Today I flew my REBEL, re-powered with an ASP 30 Four stroke glow motor in the RC Vintage Open Texaco competition and managed a couple of half respectable 8 minute flights.

23/05/2019	9						- control (
27-21-002-0			1				GRAND
NAME	мо	DEL	FLICHT	FLICHT	FLICHT	FLYOFF	TOTAL
BARRIE RUSSELL	NIGHT	TRAIN	300	300	300		900
GRANT FULTON	NIGHT	TRAIN	285	360	300		886
BRETT ROBINSON	NIGHT	TRAIN	300	274	300		874
DEREK BARBER	NIGHT	TRAIN	300	240	235		775
GAVIN SHUTE	NIGHT	TRAIN	195	360	181		676
STAN NICHOLAS	NIGHT	TRAIN	166	277	179		622
TOTAL P	CINIO	rs	100				
BARRIE RUSSE	LL	23					
STAN NICHOLAS		15					
BRETT ROBINSON		11					
GRANT FULTON		9					
DEREK BARBE	R	4					
GAVIN SHUTE		2					

Check the Vintage rules to acquaint yourselves with what each event requires and come out to get some

practice for the NDC events. When we get good weekend forecasts later (preferably a Saturday morning, otherwise Sunday) we will post and

organize competitions.

morning the conditions were idvllic and I had a few playmates so we ran a fun Vintage Precision comp with a contrasting reversal of form from last Thursday with Stan managing to assert his superiority by one second from new boy Grant, flying his reengined Playboy which now has a Wow vertical climb!

What to say about this one?......It has been tough to find a weekend with two flyable days this month but Levin did come through in the end. Saturday, apart from a brief shower, was very flyable with my favourite Nor' Westerly wind direction. Big dark clouds kept rolling through with lift under all of them I'm sure. This is a met condition called a "Dirty High" Weather Stew (Cox) tells me. The wind was lighter than forecast so it was possible to thermal fly them, sometimes to great heights. Sunday was just about identical but wind speed was higher and it did become a day of just pointing into wind.

Turnout was small, perhaps the smallest, I have seen for one of these events. Those who came were keen though. Flying was continuous with much of it being just for fun. Not everyone is contest oriented and we shouldn't forget this about our vintage scene. A lot of it is about old airplanes, older modellers, a good chin wag with our mates and yet another cup of coffee from the club house. Oh, and some flying too but not necessarily contest flying.

The GN also features free flight and we had Chris Murphy and Graham Lovejoy along flying their unguided vintage models. They spent much of the day chin wagging about this more purist form of the hobby and going through plans and mags in the club house. Graham is an ace Catapult glider flier and brought along some excellent plans for me. He easily demonstrated 65 seconds with a vintage cat glider and I now have the plan but not the 6 pound balsa stock from which his was crafted.


Kapiti was well represented. Warner, Terry and Owen can be depended on to turn up and share a smile and chuckle or two. Bryan T made it both days and it was good to see Stu Hubbard on Sunday as well, both from Ashurst. Locally, Jonathan represented the Levin club. A number of my Wellington club mates couldn't make it this time and we did miss them. My soaring mate Barry Hall came along though and flew a Buzzard Bombshell leant to him by Trev Glogau. He did a bit of ALES flying too with his Aloha. What a contrast. The Aloha is the latest lightweight "you beaut" carbon F5J machine from Ukraine. A real weapon and a reminder of how far our hobby has come in 80 years. The Hawkes Bay guys would have come if the weather had looked better. They made the right call.

I personally flew a lot on Saturday and had a very good day maxing out a number of classes in the outstanding lifty conditions, even knocked off 800 points in Precision. On Sunday I tried the unlimited class E Texaco but the wind was so fierce at that stage that times suffered. Seeing all the lift going through and not being able to circle downwind with it was frustrating. That and having to use down elevator to stay overhead.

Jonathan flew his new giant Jumping Bean setup for E Texaco. Built light too at 6 oz. sq ft. Flight potential looks great and I'm hopeful it will have outstanding still air performance with the power train we have figured out on Motocalc.

As usual, the club and Jonathan in particular, were great hosts. Excellent nibbles from Gill and BBQ curtesy of Jonathan. Thanks Levin. Let's hope we will have a few more of you there next time.

Cheers, Allan Knox CD



Vintage Prevision		8	2 N			1					š - i	
Allan Knox	Scram	1938	bonus	12								TOTAL
Flt 1	Landing	score	Flt 2	Landing	score	Fit 3	Landing	score	Flyoff	Landing	score	
3.03	20	200	3.03	20	200	3.00	20	200	3-00	20	200	800
Warner Summerton	Playboy	1940	bonus	10	200	3.00	20	200	3-00	20	200	600
	17.45	U 132330				202						_
Fit 1	Landing	score	Flt 2	Landing	score	Fit 3	Landing	score	TOTAL			_
3.03	20	200	2.57	20	200	2.51	20	200	600			
Bryan Treloar	Red Zepher	1936	bonus	14								
Fit 1	Landing	score	Flt 2	Landing	score	Fit 3	Landing	score	TOTAL			
3.07	0	187	3.07	0	187	2,53	20	200	574			
Jonatahn Shorer	Junior 60	1946	bonus	4					leann mal			
Fit 1	Landing	score	Flt 2	Landing	score	Flt 3	Landing	score	TOTAL			
3.07	0	187	3.07	0	187	2.53	20	200	571			
Owen Stewart	Playboy	1940	bonus	10						1		
Fit 1	Landing	score	Fit 2	Landing	score	Fit 3	Landing	score	TOTAL			
3.07	0	187	3.07	0	187	2.53	20	200	565			
Stu Hubbard	Junior 60	1946	bonus	4								
Flt 1	Landing	score	Flt 2	Landing	score	Fit 3	Landing	score	TOTAL			
3.07	0	187	3.07	0	187	2.53	20	200	545			
1/2A Scale Texaco	Event 128	5								1		
Allan Knex	Cub	1/2A Bonus	120	·		1	_	_		-		
Fit 1			Flt 2	4 2 2 2 2 2 2 2 2		F10.0		-	et er	Ann Man	0	TOTAL
8.07	Landing	score 560		Landing 20	score 560	7.34	Landing 20	score 560	Flyoff	Landing 20	score 620	2300
0.07	20	560	7.56	20	360	7.34	20	200	8.27	20	920	2300
Open Texaco	NDC Event 125	,										
Allan Knex	Lancer	1938	bonus	12	1		1					
Fit 1	Landing	score	Flt 2	Landing	score	TOTAL						
14.39	0	891	15.30	20	920	1811						
		22	8 9									
Intage E Texaco 2 roun	ds unlimited											
Allan Knox	5 Foot Gas	1938	bonus	12		0	1					
Flt 1	Landing	score	Flt 2	Landing	score	TOTAL				_		
7.46	20	498	12.23	0	755	1253						
									i e			
Intage Electric Duratio												
Allan Knox	Screm	1938	bonus	12								TOTA
Fit 1	Landing	score	Flt 2	Landing	score	Fit 3	Landing	score	Flyoff	Landing	score	
5.15	20	320	4.57	20	320	5.10	20	320	5.40	20	360	1320
Jonatahn Shorer	Viking	1940	bonus	19					6.000			
Flt 1	Landing	score	Flt 2	Landing	score	Fit 3	Landing	score	TOTAL			
4.51	20	320	5.27	20	320	4.57	0	307	947			
Vintage IC Duration												
Allan Knox	Cumulus	1937	bonus	13	1	1				1		
Flt 1	Landing	score	Flt 2	Landing	score	Flt 3	Landing	score	TOTAL			
5.05	20	260	4.41	0	253	4.42	20	260	773			
Bryan Treloar	Airborne	1938	bonus	12	233	-2.72	20	200	1.7.3	1		
Fit 1	Landing	score	Flt 2	Landing	score	Fit 3	Landing	score	TOTAL	1		_
3.28	20	240	DNF	Landing	Stole	DNF	Landing	SCOILE	240			
Owen Stewart	Playboy	1940	bonus	10	+	CHIP	1	_	2.40	1		
Fit 1	Landing	score	Flt 2	Landing	score	Fit 3	Landing	score	TOTAL			_
3.24	20	234	DNF	Lariding	Score	DNF	Landing	SCORE	234			
3.24	20	2.34	DIVIE		1	DITT			234			




Left: Warner and Southerner



Right: Owen with *Playboy*



Left: Jonathan with Jumpin' Bean (Pole-vaultin' Bean?)





AVANZ NEWS July 2019

Issue 172

TUAKAU CONTEST and RALLY 25-26 May

CDs Dave and Tony

Firstly on behalf of Tony and myself I'd like to thank all those that turned up to fly our last scheduled competition and rally event for the 2018 - 2019 season. We could not have planned the forecast any better if we had tried so to have had two successful events in a row, April and May is a rarity. Thanks also to those who did not fly but helped out as additional timers and spectators, this is always appreciated.

Many of us drove through patches of thick fog to get to Tuakau but once at the field we were pleasantly surprised by clear skies and sunshine. The early morning air on both days could only be described as "dead", not surprising given the chill in the air. It was only after 10.30 a.m. that the air began stirring. Not only did we begin to warm up but the planes started an upward trend also.

The weekend also marked a change to the flying rules for the five E Texaco classes we fly. The previous rules that specified rounds with maxes and provision for an unlimited fly-off were substituted for a rule that specifies two unlimited flights, both counting. Under the new rules there is no fly-off and the end result is final. All other classes remain the same. I think everyone that flew in the classes pertaining to the new rules enjoyed the new format, I certainly did and to my knowledge no one was heard grumbling. Not in my ear anyway.



Per ardua ad astra



For some reason or another Vintage Precision seemed to be waning as of late with very few entries but on this occasion there were seven entries with Mr bullseye himself Don Mossop still taking top honours and also taking out Vintage E Duration with a perfect 3 round score and fly-off. However Don was pipped to the post in Classical Precision by David Gush.

In the Classical E Duration event Dave Crook just held off David Gush. One thing I've come to notice with these Classical E Duration aircraft, Dixielander, Glow Worms and Night Trains etc. is even though they are far more streamlined than their bulkier Vintage counterparts they either have a tendency to want to come down rather quickly or don't want to come down at all. Yes I know it's the air but you can't wait around all day waiting for the good stuff!

Speaking of not wanting to come down, Keith Trillo test flew his Korda Stickler to a 51 minute flight in round 1 of E Rubber Texaco. I'd like to say it was all hot air but as I was there I know just how cold it was. Keith being the very skillful builder and pilot that he is proved you don't always need a thermal, but the one or two that did come along certainly helped. Following behind Keith the Vintage E Rubber class is certainly taking off (no pun intended) with more of these aircraft appearing at every event. A very challenging class to build and succeed in.

If you haven't already read it, there is an excellent article about E Rubber Texaco designs in the June MFW written by Wayne Cartwright. Check it out on page 41, and build yourself a winner over winter. Amongst the entrants it was great to see Bernard Scott back at the field flying a number of his aircraft in the 1/2A, A and Open Texaco classes. Wayne unfortunately was unable to fly but helped Bernard out as timekeeper.

The E Sports Cabin Texaco yielded a good number of entries also with Keith's Kea coming out on top closely followed by John Butchers newly built Buzzer. David Squires also flew his new plane in the E Sports Cabin which I believe was in the process of test flying. Another plane making its first appearance was Don Mossops MG2 built for the E Texaco Class. Don had a few test flights but the aircraft was not flown competitively on the day.

Again, thank you to all the usual suspects that turn up and fly and help make the Vintage SIG what it is, with special thanks to Doug Baunton who often makes the trip north from his home in New Plymouth. Doug also joining the E Rubber fraternity with his Golly Wock. Also, thanks to David Gush who supplied the lunchtime BBQ. Awesome.

Happy building over winter everyone and Tony and I will get back to you once we have the 2019 – 2020 season events in place.

Regards, Dave and Tony



Above: Don Mossop's new MG2

Below: Keith Trillo's Stickler





E-Rubber Texaco VooDoo


Barrie Russelli

Just to confirm I'm serious about the E Rubber *VooDoo*, I made a start on the port wing. As suggested I've used a balsa lower spar. Fiddley work with those 1/16th ribs but there is no hurry so taking my time and we'll get there. Just how light can I go? I guess some, but I don't want to pass the point of no return. I'm going to cap the ribs with 3mm x 1.5 balsa strips - the laminate should lend strength.


One half wing is finished and awaiting its clothes. It has come out at 1.5 ounces, so if I can match it with the other half and allowing for the dihedral brace joiner and glue and the covering, I'm hoping it will be just under the target I've set. Fingers crossed. I'm estimating the motor / 2 batteries / regulator / ESC / Prop & spinner/ 2 servos and leads will be close to 5 oz.

At a wing area of 3.6 sq ft, my wing loading target of 4.5 oz sq ft gives an all up weight 16.2 oz. That means I have to build the fuselage and tailplane etc at around 6.5 ounces and that's going to be a challenge, it will be new territory but I guess I have to start learning somewhere. I'm starting to wonder already if the wing is over built.... Who knows.


Wish me luck. Cheers, Barrie.








Antonio Arria




AVANZ NEWS July 2019

Issue 172

Page 13



COVER STORIES






AUTOMATIC CONTROL

Professor T.N. de BOBROVSKY

Did anyone ever succeed with the hare-brained schemes presented in the early aeromodelling press? ... Prof. T.N.Bobrovsky?? Yeah, right!



HOW TO STUNT Your Models by Automatic Control

A Device Easy to Make for All Types of Planes

By Prof. T. N. de BOBROVSKY

119 1

It is the dream of every model eatherhost to see his required maneures while flying normally. This requires models lesp, bank, spin and go through overy stant that the experienced pilot does with his nightus. In the fascination history of smile flying, the flext model to perform automatically controlled trick dishiswas witnessed at the second annual model most in 1998. in Parts, Peause. The model was made by Levilloux and Pords and few in circles, spirals and figure 8's. This was the first model equipped with an automatic device to more the tail surfaces while in flight,

Several commercial toy models appeared on the markers of Europe shortly afterward that were supposed to do figure 8's and sparals, but, like most well advertised and construed models, most of these falled to do whole was experted of them. From that time on, up to the present, very less sucressful street fying models have from mixels. I have some several models occupaed with or automatic parachete despoing device, or models cap-able of making our loop. However, this leaping model made the loop as soon as released from the hand and landed us soon as the loop was sumpleted.

However, the model builder gets a briping houd from the scientific flying modal experimenter. There are nec-

aral, Important phasen of artaclon with which we are not gain fumiliary for las stature, the ephs. Figure models kaso proton them. colves vary offer thu minus for experforming with three unfamiliar phases of flight. In the first plane, the flying model needs to les se constructed that it will enter mpt-consecut of a

automatic, movable surfaces; In this article will be found a description of our of

three automatic controls that I have need encountary since 1912. Of course, the decire used at that time was very crude but, keeping in step with the progress in aviation, I have improved it some thes. This device can he used in the common fuscinge model, as well as the erate model. As a rule, it was used on models varying from these to six feet, but it will also fourtion on mod-


The emistraction of this device is very simple, light and causes in center of gravity districtances. With a little skill, it can be made by may madel surbusinest and the men new audinatesd.

This little apparatus will mable a model to get all to a quick start, do fast elimbing, flattee 8's, nickny flights, boops, learned rolls, upoide-down thanks, tall and fart spins, stalls, whipstalls, land of low speed; or, in other words, any sount or trick hight at all.

It can be used on a speed model to retract the kinding your after the take-off and to lower it again before landing. In the case of an amphibian which lands on

under or land, it you be and to elimines the propetter witch while in flight. He other nees are to openain a rovinble eamler: winn, to stop small bemba or in reliance pernefember, one.

Pigure L shows sule when of a high wing mone plane which as rabbor driven, its smattebelion diffrom from the ondinary throng mod-



of only so fur us the offerens, elevator and rudder are movable as on the full-stood plants. It is important that all these earthres should move fronty.

These control surfaces are light in normal position with this threads and cheetle founds, or belliated in Figure 2. The stastle bands should be freely and of the same size throughout.

As shown in Figure 5, a small wanden pulley (2) is histored to the propeller shaft (1). This pulley is our ported with an elastic band (ii) with a pulley above it (1). The position of the pulleys can also be seen in Figure 1. Pulley (4) to attached to a long, fully threaded this excel short (5). It was be seen then if the rubber motor (4) travelres propeller (7), the trans-mission (3) will also see short (5) in rotation.

The diameters of the two policys (2 and 6) are filetion. As can be seen in the drawing, skert (3) revolves in two monal bearings (8). On shaft (5) will be noted s small and (0) to which a small arm (10) to address. The thin arm (10) stides in a payrow shit cut to the wooden lose (111), which extends from two bearings (2).

As chaft (5) turns, and stone not (0) imples from with it on necessary of the small arms (10) being in nat-100 track (11), if will move invarid year bearing (8).

It is secondal that this device by made to operate with as little friction as possible, which will not no cessitate using any none enther toral for nontre porret

Pirste 4 shows him a soull metal strip (12) is at


tached to unt (9). To the right and left side of the deview described above, two strips of increw balan (13) are gland to the fuscions of the model. Out of alumhorn make a few strips (11) and faction one with a screw (35) to the bulen word strip (33); at the a end of this atomiums arm (11) haden a thread (16) and coupeet some to the sudder, as shown in Figure 5. See what happens.

As the rubber motor is wested up and the propeller reluxed, climatic band transmission (3) sees threaded shaft (5) revolving also, and met (8) source to more horself the rest.

During this time the model has taken of and is Bring struight ahoud. When the arm (12) we not (b) binekes protruction arm (54) and process against it. sering (10) is correspondingly pulled, which in turn pulls the rudder to one side. The result is the model makes

If the a and of abnormer, arm (11) is long, the andder will be held to one side longer; If the arm is shorter, the turn will also be shorter. As the arm (42) on mit (II) passes beyond searl of the aluminum arm (14), the pull on the thrend (10) course and the claude bonds shown on Figure 2 automatically pull she raider back to its normal position.

Any number of these small again (11) can be attached to the fulse wood styles (III) an either side of this device and their & sade arrached to any one of the controls, the pending on what stone you (Confirmed as page 42)



RC LEADER BOARDS

Standings on 1st June 2019

RC Leader Boards 2019

The purpose of the Vintage SIG Leader Boards is to increase enjoyment of competition flying by showing fliers how well they are doing relative to others.

There are many new scores from the NNI events at Airsail and Tuakau and from the Gareth Newton at Levin. Scores posted since the last AVANZ News are in red.

The E-Texaco class listings are complicated due to rule changes during the year. Postings of records will be resumed when the rules are fully settled.

Any scores signed off by an independent timekeeper may be submitted for the Leader Boards. The flights do not have to be at a contest but are, of course, governed by the Vintage Flying Rules. I receive from organisers the scores from SIG-run contests and NDC, but send all other scores to me at rwcartwright4@gmail.com.

Please email me if you spot any errors or omissions.

Precision Classes

Scores in red are new to this year's leader boards

Vintage Precision

Record: A Knox (2017), J Shorer (2018)					
and D Moss	sop (2019) 600 + 200				
 D Mossop 	600 + 200				
B Russell	600 + 180				
3. J Butcher	600 + 178				
4. B Robinson	600				
5. W Summert	con 600				
6. J Ryan	599				
7. S Cox	590				
8. L King	589				
9. A Knox	589				
10. D Baunton	589				

Classical Precision

Ciu	issical i i coisioni	
Rei	cord: B Harris (2016)	598
1.	D Squires	596
2.	D Mossop	595
3.	B Russell	591
4.	J Butcher	584
5.	B Robinson	584
6.	D Thornley	563
7.	D Gush	556
8.	T Gribble	512

Duration Classes

Vintage IC Duration

Red	cord: S. Cox (2019)	780 + 500 + 391
1.	S Cox	780 + 500 + 391
2.	A Knox	780 + 381
3.	D Thornley	772
4.	K Trillo	740

5.	W Summerton	713
6.	B Russell	700
7.	B Treloar	689
8.	T Beaumont	680
9.	J Ryan	656
10.	R Anderson	635

Vintage E Duration

<u> </u>	
Record: B Harris (2018)	960 + 600
 D Mossop 	960 + 373
2. B Russell	960 + 366
3. A Knox	960 + 360
4. K Trillo	960 + 300
5. S Nicholas	960 + 21
6. B Harris	960
7. J Shorer	947
8. S Hubbard	886
9. B Robinson	876
10. G Fulton	817

Classical IC Duration

Record: D Thornley (2017)	900 + 600
1. D Thornley	714

Classical E Duration

Record: W Cartwright (2018) 900 + 600					
1.	B Russell	900 + 560			
2.	B Robinson	803			
3.	D Crook	769			
4.	D Gush	506			
5.	B Harris	459			
6.	D Mossop	300			
7.	D Squires	238			

Wayne Cartwright

RC LEADER BOARDS

Standings on 1st June 2019

Texaco Classes

Vintage 1/2A Texaco						
Red	Record: A Knox (2018) 1500 + 1833					
1.	A Knox	1500 + 826				
2.	J Butcher	1465				
3.	B Scott	1440				
4.	J Ryan	1375				
5.	K Trillo	968				
6.	R Anderson	840				
Vin	Vintage A Texaco					
Red	cord: A Knox (2018)	1860 + 1870				
1.	B Treloar	1860 + 832				
2.	J Butcher	1860				
3.	K Trillo	1850				
4.	A Knox	1844				
5.	B Scott	1831				
6.	R Anderson	1755				
7.	l Munro	1666				
8.	A Baker	1580				
9.	W Summerton	1436				

Vintage Open Texaco

VIII	tage Open Texaco	
Rec	ord: B Treloar (2018)	1840 + 1703
1.	B Treloar	1840
2.	B Scott	1830
3.	A Knox	1811
4.	S Cox	1724
5.	I Munro	1365
6.	J Butcher	928
7.	W Summerton	876
8.	A Baker	822
9.	D Gush	535
10.	T Glogau	373

Vintage 1/2E Texaco

Three rounds plus fly off:

1.	D Crook	1480 + 1179
2.	A Knox	1480 + 1075

3.	B Russell	1480 + 907
4.	T Gribble	1480 + 653
5.	B Robinson	1428
6.	J Shorer	1011
7.	B Spencer	970
8.	D Barber	889
Tw	o unlimited flight	s 180 mah battery:
1.	K Trillo	1654
2.	J Butcher	1616
3.	W Cartwright	1159
4.	D Squires	949
5.	R Anderson	770
6.	T Gribble	670
7.	B Russell	606
8.	D Gush	119
Tw	o unlimited flight	s 360 mah battery:
1.	K Trillo	2624
2.	P Townsend	2569
3.	T Gribble	2422
4.	B Spencer	1705
5.	D Squires	1559

Classical 1/2E Texaco

Three rounds plus fly off:

1.	T Gribble	1072
2.	D Crook	893
Tw	o unlimited fligh	ts 180 mah battery
1.	W Cartwright	1079
2.	J Butcher	386
Tw	o unlimited fligh	ts 360 mah battery
1.	P Townsend	1799

Vintage E Texaco

Three rounds plus fly off:

1.	A Knox	1860 + 1956
2.	B Russell	1860 + 1400
3.	D Crook	1860 + 1074
4.	K Trillo	1860 + 796

5.	S Nicholas	1857
	J Butcher	1740
	A Knox	1732
	B Robinson	1141
	J Shorer	1098
	o unlimited flights:	1038
	· ·	2052
1.	D Crook	2852
2.	K Trillo	2745

2.	K Trillo	2745
3.	J Butcher	1808
4.	D Squires	1572
5.	B Russell	1364
6.	A Knox	1253
7.	D Baunton	1109
8.	T Gribble	946

Classical E Texaco

Three rounds plus fly off:

	ce rounds plus my on.	
1.	T Gribble	1800 + 2669
2.	K Trillo	1800 + 735
3.	J Butcher	1639
4.	D Crook	1156
Two unlimited flights:		

1739

Two ur	limited	flights:
--------	---------	----------

K Trillo

Τ.	KIIIIO	1/33
2.	T Gribble	1715
201	L9 Nationals, Te	mporary Rules:
1.	K Trillo	2160 + 124
2.	D Gush	2160 + 862
3.	J Butcher	1534
4.	W Cartwright	1430

Vintage E Rubber Texaco

Three rounds plus fly off:

1.	J Butcher	1860 + 1839
2.	D Crook	1860 + 1215
3.	T Gribble	1860 + 907
4.	A Knox	1785
5.	D Gush	1240

Two unlimited flights:

K Trillo	5022
J Butcher	4188
P Townsend	3153
D Crook	2664
T Gribble	2321
W Cartwright	2223
D Squires	2005
D Gush	1999
D Baunton	1812
	J Butcher P Townsend D Crook T Gribble W Cartwright D Squires D Gush

Sport Cabin Texaco IC

No score recorded to date.

Sport Cabin Texaco E

ке	cora: K Trillo (2019)	4457
1.	K Trillo	4457
2.	J Butcher	2149
3.	T Gribble	1454
4.	D Squires	1235
5.	B Russell	1285
6.	D Crook	828
7	R Anderson	385

Scale Texaco

Record: A Knox (2019)		1680 + 620
1.	A Knox	1680 + 620
2.	D Baunton	499

Tomboy IC


Record: R Anderson (2015) 1432 No score recorded to date in 2019.

Tomboy E


Record: S Grant (2014)		1935	
1.	K Trillo	1317	
2.	D Squires	1154	
3.	B Spencer	945	
4.	B Russell	895	


This HLG is likely to be a NZ design. It was found in a box of plans in the Levin MAC clubhouse and may have belonged to Ivan Treen or perhaps to Ivan's father. It has a 1950's look to it. At half size (14.75") it would make a nice CAT glider if its history were known. Do you know who PGW was, or anything about the design?

Graham Lovejoy



This is the first in a series of designs for the Canadian Air Cadets, perhaps to encourage "air mindedness" during WWII. I have another in the series, a cabin rubber design. Date of No.1 is unknown. Devon Sutcliffe noted *prewar* on the plan, but it looks more 1940's to me. *Graham Lovejoy*






REAL VINTAGE!



FIRST ANNUAL CONFERENCE OF THE NEW ZEALAND MODEL AEROPLANE ASSOCIATION at NEW PLYMOUTH, 1936





MISCELLANEOUS





Vintage year at Taft, 1991. Paul Lagan and Rex Bain with Jay's Bird

ICON 172: Number 8 Fencing Wire

The introduction of steel fencing wire of various gauges in the 1860s allowed the rapid construction of low-cost fencing and this was quickly adopted for use on New Zealand sheep Number 8 steel wire soon became the preferred standard.



From the early 1960s, lower cost and lighter weight but more difficult to work high-tensile 12½ gauge 2.5 mm steel wire has largely replaced number 8 wire for New Zealand fencing. Since 1976, when New Zealand adopted the metric system, number 8 wire is officially referred to as 4.0 mm gauge wire, although the older term "Number 8 wire" continues to be commonly used.

As a consequence of the ubiquitous use of number 8 wire in New Zealand, remote farms often had rolls of number 8 wire on hand, and the wire would often be used inventively and practically to solve mechanical or structural problems other than fencing. Accordingly, the term "number 8 wire" came to represent the ingenuity and resourcefulness of New Zealanders, and the phrase "a number 8 wire mentality" evolved to denote an ability to create or repair machinery using whatever scrap materials are available on hand.

The Waikato Museum runs an art award named after the wire.